





BUH3-2-37 Balak Universal Horizontal 3-axis Mill | 2 tables | 37 kW



Our universal 3-axis horizontal mill has been built especially for high production requirements. The two-table system enables continuous machining. The machine keeps working while the already machined workpiece is replaced in second positon. This compact machining center features a wide range of available options to customize your machine to your exact needs, including workpiece loading and unloading automation.

Key features:

3-axis | 2 working tables | 1 spindle | 1000+ customization options



visit: www.balak-stroje.com | info@balak-stroje.com | 00420 732 384 845

BALÁK






Example of a past project:



Balak stroje Tisnov s.r.o. Cerveny Mlyn 380 666 01 Tisnov Czech republic |**3**ALÁK BUH3-2-37



Specs	Metric
Axis	3
Work Tables	2
Continuous machining	✓
Travels X/Y/Z	1,400/500/520
Table Dimensions X/Y	1,150/618
Table Connection	12 × M16 + 4 × DIN 1B 12
T-Slots	opt
Spindle Drive	Siemens 1PH7-163
Power	37 kW
Spindle Torque	649.25 N.m
Gear Ratio	3.5
Spindle Interface	HSK-C 100
Tool Changer	opt
Machining Conditions Optimization	✓
Automatic / Manual Mode	✓
System	Siemens SINUMERIK ONE
HMI	Control Touch Screen
Additional Control Board	opt
Remote Control Pendant	opt
Table – Hydraulic Movement	✓
Table – Ball Screw Movement	opt
Table-to-Table Time	3.5 secs
Workpiece Lifter Access	✓
Chip Conveyor	✓
Liquid Cooling with Fluid Filtration	opt

BUH3-2-37_EN_datasheet

Balak stroje Tisnov s.r.o. Cerveny Mlyn 380 666 01 Tisnov CZE

VATIN: CZ086 69 414 e-mail: balak@balak-stroje.cz phone: 00420 732 384 845



|**:]ALÁK**BUH3-2-37

	D0113-2-3
Rated Pressure – Flood Coolant Pump	0.4 MPa (opt)
Rated Pressure – High Pressure Pump	5 MPa (opt)
Water Gun for Cleaning	opt
Hydraulic Power Unit	✓
Rated Pressure – Hydraulics	15 MPa
Hydraulic Circuits	2
Hydraulic Circuits Option	3/4/5/6 (opt)
Mist Collector	opt
Air Blast System	opt
Window Air Blast System	opt
Automatic Lubrication System	✓
Enclosure Air Conditioner	opt
Machine Dust-Proof Design	opt
High-Intensity Lighting	V
Camera and Screen	opt
2 Automatic Doors	· · · · · · · · · · · · · · · · · · ·
3 Automatic Doors	opt
2 Safety Light Curtains	· ·
Stack Light	√
Machine Covers	V
Ethernet Interface	V
Remote monitoring – LAN connected	V
Remote monitoring – SIM connected	opt
Metric Design	
Machine Labels – Czech	V
Machine Labels – English / other languages	opt
Instruction Manual printed and digital – Czech	
Instruction Manual printed and digital – English / other	opt
languages	•
Spare Parts Drawings	V
EU declaration of conformity	V
CE Label	V
Risk analysis	V
Operator Training, Programming Training	6 hrs
Maintenance Training	6 hrs
Standard Warranty	24 mos
Extended Warranty	opt
Warranty Repair Start – Czech republic	within 48 hrs (w/d)
Warranty Repair Start – EU / other countries	opt
Post Warranty Repair Start - CZE / EU / other countries	opt
Workpiece Handling – robotic / pneumatic	opt
Automated Bin-picking	opt
Workpiece Feeder	opt
Customization	opt

✓ – Standard Equipment, opt – Optional Equipment

